

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1966	single\$1sign\$1on or (single adj sign adj "on") or (single adj sign\$1on)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/13 09:32
L2	39262	"713".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/13 09:32
L3	293	L1 and L2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/13 09:32
L7	209	single\$1log\$2 or (single adj log-on) or (single adj log-in) or (single adj log adj "on") or (single adj log adj "in")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/13 09:32
L14	42	((sign\$1in sign\$1on (sign adj ("on" or "in")) near5 (applet module plug\$1in)) with (transmit\$4 send\$3 forward\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/13 09:32
L31	1	((embed\$4 insert\$3) with (applet module) with (web\$1site web\$1page)) near30 (verif\$7 check\$3 authenticat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/13 09:32
L32	69	(embed\$4 with (applet module) with (web\$1site web\$1page))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/13 09:32

EAST Search History

L35	125	(remov\$3 dispos\$3 delet\$3) with cookie with client	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/13 09:32
L36	3	(remov\$3 dispos\$3 delet\$3) with cookie with client with (session) with (end ending ended terminat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/13 09:32
L39	9	(sign\$1on sign\$1in (sign adj ("on" or "in"))) with (plug\$1in applet) with (browser interface gui)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/13 09:32
L40	83	(sign\$1on sign\$1in (sign adj ("on" or "in"))) and ((plug\$1in applet) with (browser interface gui) with (download\$3 embed\$4 transmit\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/13 09:32
L41	9	(sign\$1on sign\$1in (sign adj ("on" or "in"))) with (plug\$1in applet) with (browser interface gui)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/13 09:32
L44	109	(sign\$1on sign\$1in (sign adj ("on" or "in"))) and ((applet plug\$1in) with browser) and ((chip wise smart IC) near card)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/13 09:32
L45	2	(sign\$1on sign\$1in (sign adj ("on" or "in"))) same ((applet plug\$1in) with browser) same ((chip wise smart IC) near card)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/13 09:32

EAST Search History

L47	4	(sign\$1on sign\$1in (sign adj ("on" or "in"))) same (applet plug\$1in) same ((chip wise smart IC) near card)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/13 09:32
L48	4	(sign\$1on sign\$1in (sign adj ("on" or "in"))) same (applet plug\$1in) same ((chip wise smart IC) near3 card)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/13 09:32
L49	84	((chip wise smart IC) near3 card) same (sign\$1on sign\$1in (sign adj ("on" or "in")))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/13 09:32
L53	72	(embed\$4 insert\$3) with packet with (indicat\$3 signal\$3 flag\$3) with (body data) with (encrypt\$3 scrambl\$3 secur\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/13 09:32
L56	296	(backup) with ((smart wise chip ic) near card)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/13 09:32
L57	506	((backup) or (back\$3 near "up")) with ((smart wise chip ic) near card)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/13 09:32
L58	42	((backup) or (back\$3 near "up")) with ((smart wise chip ic) near card) with (ram rom) with data with (remote server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/13 09:32

EAST Search History

L59	39	((back\$3 near "up")) with ((smart wise chip ic) near card) with (ram rom) with data with (remote server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/13 09:32
L63	3	((smart wise chip ic) near card) with (data info information) with (web\$1page web\$1form)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/13 09:32

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	382	((smart wise chip IC) near card) with remote with (verif\$7 check\$3 authenticat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/13 09:29
L3	18	((smart wise chip IC) near card) with remote with (verif\$7 check\$3 authenticat\$3)) same (log?n log\$1in log\$1on)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/13 09:29
L4	5	((log?n log\$1on log\$1in) with (web\$1page screen gui prompt)) same (access\$3 retriev\$3) with ((smart wise chip ic) near card) same (authenticat\$3 verif\$7 check\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/13 09:29
L5	599	((smart wise chip ic) near card) same (authenticat\$3 verif\$7 check\$3) same remote same (access\$3 retriev\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/13 09:29
L6	19	((smart wise chip ic) near card) near10 (authenticat\$3 verif\$7 check\$3) near10 remote near10 (access\$3 retriev\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/13 09:29
L9	448	((smart wise chip ic) near card) with (authenticat\$3 verif\$7 check\$3) with remote\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/13 09:29
L10	8400	((log?n log\$1on log\$1in) with (web\$1page screen gui prompt))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/13 09:29

EAST Search History

L11	15	L9 and L10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/13 09:29
L13	876	(token ((smart wise chip ic) near card)) with (authentica\$3 verif\$7 check\$3) with remote\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/13 09:29
L14	10588	remote\$2 with (retriev\$3 access\$3) with (id identif\$7 credential)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/13 09:29
L15	19	L10 and L13 and L14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/13 09:29
L18	126	L13 same L14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/13 09:29

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	49	(replac\$3 substitut\$3 over\$1writ\$3) with (credential private secret) with ((smart wise chip IC) near card)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/13 09:26
L3	2308	((smart wise chip ic) near card) with (show\$3 display\$3) with (info information data) with (retriev\$3 sav\$3 writ\$3 transmit\$3 embed\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/13 09:26
L4	1282	((smart wise chip ic) near card) with (display\$3) with (info information data) with (retriev\$3 sav\$3 writ\$3 transmit\$3 embed\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/13 09:26
L5	39262	"713".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/13 09:26
L6	47	L4 and L5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/13 09:26
L9	268	((smart wise chip ic) near card) with (embed\$3) with (encrypt\$3 encod\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/13 09:26
L10	51	L5 and L9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/13 09:26

EAST Search History

L11	3	((smart wise chip ic) near card) with ("backup" or "backing-up" or "back-up" or "backing up") with embed\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/13 09:26
-----	---	---	--	----	----	------------------